





## Easy grip ECO Sponge 3/1

## B019

<b>BRAND, PRODUCT NUMBER AND NAME</b>	BONUS	B019	EASY GRIP ECO SPONGE 3/1
<b>TARIC</b>	3924900090		
<b>PRODUCER/DISTRIBUTOR</b>	Bonus Kft. 7800 Siklós, Ipartelepi út 2., Hungary +36 1 770 7000 info@bonus-hungary.com		
<b>CERTIFICATES</b>	MSZ EN ISO 9001:2015, MSZ EN ISO 14001:2015, MSZ 45001:2018		
<b>STORAGE</b>	Store in a dry, clean place. Keep away from fire and direct sunlight.		
<b>PRODUCT PACKAGING</b>	25 mikron thick, mirror-printed BOPP foil		
<b>OUTER CASE</b>	Recyclable, FC243-55 LDPE bag and foil		
<b>COMPOSITION</b>	20 kg/m <sup>3</sup> polyurethane foam with 30% plant based biopoliol component, 550g/m <sup>2</sup> 100% recycled PET scourer with quartz		
<b>TRADEMARK</b>	Made in Hungary trademark and GREEN trademark issued by NGO Magyar Termék Nonprofit Kft. On 03.06.2013. Certificate number: 72/2013 / MTA		
<b>PRESS KIT</b>	<a href="https://img.bonus-hungary.com/products/B019/B019.zip">https://img.bonus-hungary.com/products/B019/B019.zip</a>		
<b>WEBPAGE</b>	<a href="https://en.bonuscleaningproducts.com/products/easy-grip-sponge-scourer-3x/">https://en.bonuscleaningproducts.com/products/easy-grip-sponge-scourer-3x/</a>		


LOGISTICS DETAILS	1x	1x			
	PIECE	PACKAGE	INNERCASE	OUTER CASE	PALETTE
		SALES UNIT		ORDER UNIT	
<b>PIECES</b> <i>UNITS</i>	1 PIECE	3 PIECE	32 PACKAGE	384 PACKAGE	2688 PACKAGE
<b>NET WEIGHT</b> <i>GROSS WEIGHT</i>	7 g	21 g 26 g	710 g 850 g	8,5 kg 10,5 kg	70 kg
<b>DIMENSIONS</b> 	9,5 × 7 × 4,5 cm	9,5 × 7 × 13,5 cm	76 × 28 × 13,5 cm	116 × 56 × 38 cm	120 × 80 × 230 cm
<b>EAN-13</b>	-	5997844301019	5997844302047	5997844302054	-

SPONGE COMPOSITION AND PROPERTIES	UNIT	TEST PROCEDURE	VALUE
NOMINAL FOAM DENSITY	kg/m <sup>3</sup>	PN-EN ISO 845: 2000	20 – 23
NOMINAL HARDNESS CLD (40%)	kPa	PN-EN ISO 3386-1: 2000	3,65 - 4,50
RESISTANCE MINIMUM	%	PN-EN ISO 8307: 2000	3
COMPRESSION (50%) MAXIMUM	%	PN-EN ISO 1856: 2004	7
TENSILE STRENGTH MINIMUM	kPa	PN-EN ISO 1798: 2001	100
TENSION STRENGTH MINIMUM	%	PN-EN ISO 1798: 2001	150
CERTIFICATION			
COMPOSITION	Flexible polyether-polyurethane foam block made with Maxfoam or Novaflex® process. 30% plant based biopoliol.		

SCOURER LAYER INGREDIENTS	
COMPOSITION	100% RECYCLED POLYETHYLENE FIBERS
BINDING RESIN	VINYL-ACRYLIC RESIN
SCOURING MATERIAL	MINERAL GRAINS
COLORANTS	NATURAL – NON-TOXIC
USAGE	HOUSEHOLD
ADDITIVES	DOES NOT CONTAIN

SCOURER LAYER PROPERTIES	TOLERANCE	VALUE	UNIT
WEIGHT	± 5%	550	g/m <sup>2</sup>
THICKNESS	± 1 mm	6,5	mm

SCOURER LAYER PERFORMANCE	TOLERANCE	VALUE	UNIT
TENSION STRENGTH Y DIRECTION	± 4%	115	N/cm <sup>2</sup>
TENSION STRENGTH X DIRECTION	± 4%	130	N/cm <sup>2</sup>
SCOURING EFFECT		≥270	mg

MADE BY	APPROVED
SÁGI NORBERT 2022.05.04. 	BOTOS ANDREJ 2022.05.04. 