





## ECO Sponge 10/1

## B040

<b>BRAND, PRODUCT NUMBER AND NAME</b>	BONUS	B040	SPONGE SCOURER 10/1
<b>TARIC</b>	3924900090		
<b>PRODUCER/DISTRIBUTOR</b>	Bonus Kft. 7800 Siklós, Ipartelepi út 2., Hungary +36 1 770 7000 info@bonus-hungary.com		
<b>CERTIFICATES</b>	MSZ EN ISO 9001:2015, MSZ EN ISO 14001:2015, MSZ 28001:2008		
<b>STORAGE</b>	Store in a dry, clean place. Keep away from fire and direct sunlight.		
<b>PRODUCT PACKAGING</b>	25um mirror-printed BOPP		
<b>OUTER CASE</b>	Recyclable, FC243-55 LDPE bag and foil		
<b>COMPOSITION</b>	20 kg/m <sup>3</sup> polyurethane foam with 30% plant based biopoliol component, 550g/m <sup>2</sup> 100% recycled PET scourer with quartz		
<b>TRADEMARK</b>	Made in Hungary trademark and GREEN trademark issued by NGO Magyar Termék Nonprofit Kft. On 03.06.2013. Certificate number: 72/2013 / MTA		
<b>PRESS KIT</b>	<a href="https://img.bonus-hungary.com/products/B040/B040.zip">https://img.bonus-hungary.com/products/B040/B040.zip</a>		
<b>WEBPAGE</b>	<a href="https://en.bonuscleaningproducts.com/products/sponge-scourer-10x/">https://en.bonuscleaningproducts.com/products/sponge-scourer-10x/</a>		


LOGISTICS DETAILS	1×	1×			
	PIECE	PACKAGE	INNERCASE	OUTER CASE	PALETTE
		SALES UNIT		ORDER UNIT	
<b>PIECES</b> <i>UNITS</i>	1 PIECE	10 PIECE	20 PACKAGE	240 PACKAGE	1920 PACKAGE
<b>NET WEIGHT</b> <i>GROSS WEIGHT</i>	3,6 g	36 g 40 g	720 g 817 g	8,6 kg 10,0 kg	77 kg
<b>DIMENSIONS</b> 	2,7×5×8 cm	27×5×8 cm	32×25×27 cm	104×85×35 cm	120×80×230 cm
<b>EAN-13</b>	-	5997844301040	5997844300449	5997844300456	-

SPONGE COMPOSITION AND PROPERTIES	UNIT	TEST PROCEDURE	VALUE
NOMINAL FOAM DENSITY	kg/m <sup>3</sup>	PN-EN ISO 845: 2000	17 - 19
NOMINAL HARDNESS CLD (40%)	kPa	PN-EN ISO 3386-1: 2000	2,50 - 3,35
RESISTANCE MINIMUM	%	PN-EN ISO 8307: 2000	35
COMPRESSION (50%) MAXIMUM	%	PN-EN ISO 1856: 2004	7
TENSILE STRENGTH MINIMUM	kPa	PN-EN ISO 1798: 2001	80
TENSION STRENGTH MINIMUM	%	PN-EN ISO 1798: 2001	150
CERTIFICATION			
COMPOSITION	Flexible polyether-polyurethane foam block made with Maxfoam or Novaflex® process. 30% plant based biopoliol.		

SCOURER LAYER INGREDIENTS	
COMPOSITION	100% RECYCLED POLYETHYLENE FIBERS
BINDING RESIN	VINYL-ACRYLIC RESIN
SCOURING MATERIAL	MINERAL GRAINS
COLORANTS	NATURAL – NON-TOXIC
USAGE	HOUSEHOLD
ADDITIVES	DOES NOT CONTAIN

SCOURER LAYER PROPERTY	TOLERANCE	VALUE	UNIT
WEIGHT	± 5%	550	g/m <sup>2</sup>
THICKNESS	± 1 mm	6,5	mm

SCOURER LAYER PERFORMANCE	TOLERANCE	VALUE	UNIT
TENSION STRENGTH Y DIRECTION	± 4%	115	N/cm <sup>2</sup>
TENSION STRENGTH X DIRECTION	± 4%	130	N/cm <sup>2</sup>
SCOURING EFFECT		≥270	mg

MADE BY	APPROVED
SÁGI NORBERT 2022.05.04. 	BOTOS ANDREJ 2022.05.04. 