




## BonusPRO Heavy duty sponge scourer 10/1 B520

<b>BRAND, PRODUCT NUMBER AND NAME</b>	BONUS	B520	BONUSPRO HEAVY DUTY SPONGE SCOURER 10/1
<b>TARIC</b>	3924900090		
<b>PRODUCER/DISTRIBUTOR</b>	Bonus Kft. 7800 Siklós, Ipartelepí út 2., Hungary +36 1 770 7000 info@bonus-hungary.com		
<b>CERTIFICATES</b>	MSZ EN ISO 9001:2015, MSZ EN ISO 14001:2015, MSZ 28001:2008		
<b>STORAGE</b>	Store in a dry, clean place. Keep away from fire and direct sunlight.		
<b>PRODUCT PACKAGING</b>	30 mikron thick, mirror-printed BOPP foil		
<b>OUTER CASE</b>	Recyclable, FC243-55 LDPE bag and foil		
<b>COMPOSITION</b>	20 kg/m <sup>3</sup> polyurethane foam, 550g/m <sup>2</sup> non-scratch felt		
<b>TRADEMARK</b>	Made in Hungary trademark, issued by Magyar Termék Nonprofit Kft. On 03.06.2013. Certificate number: 72/2013 / MTA		
<b>PRESS KIT</b>	<a href="https://img.bonus-hungary.com/products/B520/B520.zip">https://img.bonus-hungary.com/products/B520/B520.zip</a>		
<b>WEBPAGE</b>	<a href="https://en.bonuscleaningproducts.com/products/heavy-duty-sponge-scourer/">https://en.bonuscleaningproducts.com/products/heavy-duty-sponge-scourer/</a>		


LOGISTICS DETAILS	1x	1x		
	PIECE	PACKAGE	OUTER CASE	PALETTE
		SALES UNIT	ORDER UNIT	
<b>PIECES</b> <i>UNITS</i>	1 PIECE	10 PIECE	50 PACKAGE	400 PACKAGE
<b>NET WEIGHT</b> <i>GROSS WEIGHT</i>	15 g	140 g 146 g	7,0 kg 7,4 kg	60 kg
<b>DIMENSIONS</b> 	13,5×8,5×4 cm	13,5×9×4,5 cm	85×67×41 cm	120×80×230 cm
<b>EAN-13</b>	-	5996306052520	5997844302078	-

SPONGE COMPOSITION AND PROPERTIES	UNIT	TEST PROCEDURE	VALUE
NOMINAL FOAM DENSITY	kg/m <sup>3</sup>	PN-EN ISO 845: 2000	17 - 19
NOMINAL HARDNESS CLD (40%)	kPa	PN-EN ISO 3386-1: 2000	2,50 - 3,35
RESISTANCE MINIMUM	%	PN-EN ISO 8307: 2000	35
COMPRESSION (50%) MAXIMUM	%	PN-EN ISO 1856: 2004	7
TENSILE STRENGTH MINIMUM	kPa	PN-EN ISO 1798: 2001	80
TENSION STRENGTH MINIMUM	%	PN-EN ISO 1798: 2001	150
CERTIFICATION	<ol style="list-style-type: none"> <li>Oeko-Tex Certificate Standard 100, Kl. I</li> <li>ÉMI-TÜV Dissolution test R-1349209/1</li> </ol>		
COMPOSITION	Flexible polyether-polyurethane foam block made with Maxfoam or Novaflex® process.		

SCOURER LAYER INGREDIENTS	
COMPOSITION	POLYESTER AND POLYAMIDE FIBERS
BINDING RESIN	VINYL-ACRYLIC RESIN
SCOURING MATERIAL	MINERAL GRAINS
COLORANTS	NATURAL – NON-TOXIC
USAGE	HOUSEHOLD
ADDITIVES	DOES NOT CONTAIN

SCOURER LAYER PROPERTIES	TOLERANCE	VALUE	UNIT
WEIGHT	± 5%	550	g/m <sup>2</sup>
THICKNESS	± 1 mm	6,5	mm

SCOURER LAYER PERFORMANCE	TOLERANCE	VALUE	UNIT
TENSION STRENGTH Y DIRECTION	± 4%	115	N/cm <sup>2</sup>
TENSION STRENGTH X DIRECTION	± 4%	130	N/cm <sup>2</sup>
SCOURING EFFECT		≥270	mg

MADE BY	APPROVED
SÁGI NORBERT 2022.05.04. 	BOTOS ANDREJ 2022.05.04. 